



flexilux Robot Head

Teklite introduces the "flexilux" robot head to fit on TF 400XE & RRTM-ES lighting systems

NEW
"flexilux" enables you to **FOCUS**
on the job



MOBILE, PORTABLE & EMERGENCY LIGHTING

Flexilux focus positions

Flexilux robot heads enable the user to position the focus of the floodlights from narrow beam into wide beam and vice versa.

FLEXILUX “NARROW BEAM” POSITION (-5°)



FLEXILUX “STANDARD” POSITION (0°)




FLEXILUX “WIDE BEAM” POSITION (+35°)



Lamp choice

| Cat. No. | Model | Volt | Ampere | Lumens |
|----------|--------------------------------------|-------|--------|--------|
| 38510 | 8 x 35 Watt Xenon with Focus 12 Volt | 24 | 12 | 28.000 |
| 38515 | 8 x 35 Watt Xenon with Focus 24 Volt | 24 | 12 | 28.000 |
| 38470 | 8 x 43 Watt LED with Focus 12 Volt | 12/24 | 32/16 | 24.000 |
| 38475 | 8 x 43 Watt LED with Focus 24 Volt | 12/24 | 32/16 | 24.000 |
| 38460 | 8 x 50 Watt LED with Focus 12 Volt | 12/24 | 36/18 | 29.600 |
| 38465 | 8 x 50 Watt LED with Focus 24 Volt | 12/24 | 36/18 | 29.600 |
| 38520 | 8 x 70 Watt LED with Focus 12 Volt | 12/24 | 46/23 | 36.000 |
| 38525 | 8 x 70 Watt LED with Focus 24 Volt | 12/24 | 46/23 | 36.000 |
| 38530 | 8 x 80 Watt LED with Focus 12 Volt | 12/24 | 56/28 | 56.000 |
| 38535 | 8 x 80 Watt LED with Focus 24 Volt | 12/24 | 56/28 | 56.000 |

Flexilux Robot Head with 8 x 50 Watt LED



Flexilux Robot Head with 8 x 35 Watt Xenon



Remote Controls

Cable Remote Control



Functions

- To extend the mast
- To switch the lighting left (lights 1) and right (lights 2) "on" and "off"
- Beacon switch
- To turn and tilt the lamps in any direction
- Focus (-5° to +35°)
- Automatic return to stowed position (also when releasing the handbrake)

Cable Remote Control LVG/2L/Focus

Cat. No. 38560

1,25 metre spiral cable + 10 metres linear cable

RF Remote Control Kit (Optional)



RF Remote Control Kit LVG/2L/Focus

Cat. No.38562

- Kit contents :
- RF Remote control
 - Rechargeable battery
 - 110/230 Volt charger
 - 12/24 Volt car charger



All details given in this publication are approximate and may be subject to change without notice.

Distributor :

TEKSAM COMPANY NV, Woudstraat 21, 3600 Genk, Belgium
Tel : +32 (0)89 38 44 72 Fax : +32 (0)89 38 61 41 E-mail : info@teksamco.com Website : www.teklite.com

TEKLITE is a division of Teksam Company NV

ISO 9001:2008 CE